

# **Ex. 5 Deliberative Process (DP)**

# **Ex. 5 Attorney Work Product (AWP)**

# Ex. 5 Attorney Work Product (AWP)

**From:** [Dave.Miracle@aksteel.com](mailto:Dave.Miracle@aksteel.com) [<mailto:Dave.Miracle@aksteel.com>]

**Sent:** Monday, July 16, 2018 2:51 PM

**To:** Stepp, Cathy <[stepp.cathy@epa.gov](mailto:stepp.cathy@epa.gov)>

**Cc:** Bodine, Susan <[bodine.susan@epa.gov](mailto:bodine.susan@epa.gov)>; [Pat.Gallo@aksteel.com](mailto:Pat.Gallo@aksteel.com)

**Subject:** AK Steel Request

Ms. Stepp:

My name is Dave Miracle and I'm the General Manager of Environmental Affairs for AK Steel Corporation headquartered in West Chester, Ohio. On June 26, we met with Susan Bodine in Washington D.C. along with other members of the American Iron and Steel Institute. During the meeting, we updated her on the status of some air sampling that was performed by U.S. EPA Region V in early May at our steel-making facility in Middletown, Ohio. Although AK Steel has not received results from U.S. EPA directly, we understand that there has been substantial dialogue between U.S. EPA Region V, ATSDR and the state of Ohio. She suggested that we reach out to you and request a meeting to discuss.

We would gladly come to Chicago to discuss at your convenience and thank you very much for your consideration.

Dave Miracle

**David Miracle**

**General Manager - Environmental Affairs & Sustainability**

AK Steel Corporation

9227 Centre Pointe Drive | West Chester, OH 45069

**O:** 513.425.5329 | **M:** 513.594.4901

[dave.miracle@aksteel.com](mailto:dave.miracle@aksteel.com)

Confidentiality Notice

This message is intended exclusively for the individual or entity to which it is addressed and may contain privileged, proprietary, or otherwise private information.

If you are not the named addressee, you are not authorized to read, print, retain, copy or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by e-mail and delete all copies of the message.